



Company Address

Eckhardt Steel & Alloys
 12A Gr Flr., Shreepati Castle,
 D Wing, , 11th Khetwadi Lane,
 Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
CS SEAMLESS PIPE						
PIPE; SMLS;DN 15; ASME B36.10M; BE END; XS; CS ASTM A106 GR B	NB 15	XS	21.3	3.73	2	13.120
PIPE; SMLS;DN 15; ASME B36.10M; BE END; SCH 160; LTS ASTM A333 GR 6	NB 15	160	21.3	4.78	1	6.090
PIPE; SMLS;DN 20; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6; NACE	NB 20	XS	26.7	3.91	2	12.650
PIPE; SMLS;DN 20; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 20	XS	26.7	3.91	2	12.700
PIPE; SMLS;DN 20; ASME B36.10M; BE END; SCH 160; CS ASTM A106 GR B	NB 20	160	26.7	5.56	2	14.770
PIPE; SMLS;DN 20; ASME B36.10M; BE END; XXS; CS ASTM A106 GR B; NACE	NB 20	XXS	26.7	7.8	1	5.550
PIPE; SMLS;DN 20; ASME B36.10M; BE END; XXS; CS ASTM A106 GR B	NB 20	XXS	26.7	7.82	1	7.590
PIPE; SMLS;DN 20; ASME B36.10M; BE END; XXS; LTS ASTM A333 GR 6	NB 20	XXS	26.7	7.82	1	8.000
PIPE SMLS 33.4MM (1 INCH) OD X 3.38MM WT X 6M ASTM A106 GR B	NB 25	40	33.4	3.38	1	6.000
PIPE; SMLS;DN 25; ASME B36.10M; BE END; XS; CS ASTM A106 GR B	NB 25	XS	33.4	4.55	10	60.790
PIPE SMLS 1" SCH XS X 6M ASTM A106 GR B	NB 25	XS	33.4	4.55	2	12.000
PIPE; SMLS;DN 25; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 25	XS	33.4	4.55	3	14.300
PIPE; SMLS;DN 25; ASME B36.10M; BE END; XXS; CS ASTM A106 GR B	NB 25	XXS	33.4	9.09	3	20.940
PIPE; SMLS;DN 25; ASME B36.10M; BE END; XXS; LTS ASTM A333 GR 6; NACE	NB 25	XXS	33.4	9.09	4	24.570
PIPE SMLS 21.3MM OD X 2.77MM WT X 6M ASTM A106 GR B	NB 32		42.2	2.77	1	6.000
PIPE; SMLS;DN 40; ASME B36.10M; BE END; XS; CS ASTM A106 GR B	NB 40	XS	48.3	5.08	10	59.960
PIPE; SMLS;DN 40; ASME B36.10M; BE END; XXS; CS ASTM A106 GR B; NACE	NB 40	XXS	48.3	10.15	1	6.570
PIPE; SMLS;DN 40; ASME B36.10M; BE END; XXS; LTS ASTM A333 GR 6	NB 40	XXS	48.3	10.15	2	12.010
PIPE SEAMLESS 60.3MM OD X 3.9MM WT X 6M ASTMA106 GR B	NB 50	40	60.3	3.9	3	18.000
PIPE SEAMLESS 88.9MM OD X 5.50MM WT X 6M ASTM A106 GR B	NB 80	40	88.9	5.49	3	18.030



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; SEAMLESS;DN 80; ASME B36.10M; BE END; 15.88 MM WALL; LTS ASTM A333 GR 6; NACE	NB 80	xxs	88.9	15.88	3	20.980
PIPE, SEAMLESS, BE, MATL CARB STEEL, API 5L GR.X52 , SIZE 4 IN NOM, SCH XS, TYPE V (GREEN)	NB 100	XS	114.3	8.56	1	11.900
PIPE; SEAMLESS;DN 100; ASME B36.10M; BE END; SCH 120; LTS ASTM A333 GR 6	NB 100	120	114.3	11.13	2	12.620
PIPE; SEAMLESS;DN 100; ASME B36.10M; BE END; SCH 160; CS ASTM A106 GR B	NB 100	160	114.3	13.49	1	11.800
PIPE SEAMLESS 6" SCH 40 X 6M ASTM A106 GR B; HT # 89B8680	NB 150	40	168.3	7.11	2	12.080
PIPE; SEAMLESS;DN 150; ASME B36.10M; BE END; STD WT; LTS ASTM A333 GR 6	NB 150	STD	168.3	7.11	11	116.580
PIPE; SEAMLESS;DN 150; ASME B36.10M; BE END; XS; CS ASTM A106 GR B	NB 150	XS	168.3	10.97	1	6.000
PIPE; SEAMLESS;DN 150; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 150	XS	168.3	10.97	20	224.560
PIPE; SEAMLESS;DN 150; ASME B36.10M; BE END; 26.97 MM WALL; LTS ASTM A333 GR 6; NACE	NB 150		168.3	26.97	3	31.220
PIPE; SEAMLESS;DN 200; ASME B36.10M; BE END; SCH 20; CARBON STEEL SEAMLESS PIPE, ASTM A106 GR B	NB 200	20	219.1	6.35	26	204.620
PIPE; SEAMLESS;DN 200; ASME B36.10M; BE END; STD WT; LTS ASTM A333 GR 6	NB 200	STD	219.1	8.18	9	99.140
PIPE; SEAMLESS;DN 200; ASME B36.10M; BE END; 33.32 MM WALL; CS ASTM A106 GR B; NACE	NB 200		219.1	33.32	2	12.280
PIPE; SEAMLESS;DN 250; ASME B36.10M; BE END; SCH 20; CS ASTM A106 GR B	NB 250	20	273	6.35	16	181.790
PIPE SEAMLESS 10" SCH 20 X 6M ASTM A106 GR B; HT # 104760	NB 250	20	273	6.35	1	6.060
PIPE; SEAMLESS; 250NB X SCH 40 ; ASME B36.10M; BE END; 273.0 X 9.27 STD WT; CS ASTM A106 GR B	NB 250	STD	273	9.27	49	366.830
PIPE; SMLS;DN 250; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 250	STD	273	9.27	60	360.000
PIPE; SMLS;DN 250; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 250	STD	273	9.27	60	360.000
PIPE; SMLS;DN 250; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 250	STD	273	9.27	51	306.000
PIPE; SMLS;DN 250; ASME B36.10M; BE END; STD WT; LTS ASTM A333 GR 6	NB 250	STD	273	9.27	1	11.230



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; SMLS;DN 300; ASME B36.10M; BE END; SCH 20; CS ASTM A106 GR B	NB 300	20	323.8	6.35	10	110.520
PIPE; SMLS;DN 300; ASME B36.10M; BE END; SCH 20; CS ASTM A106 GR B	NB 300	20	323.8	6.35	1	11.380
PIPE; SMLS;DN 300; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 300	STD	323.8	9.53	1	11.380
PIPE; SMLS;DN 300; ASME B36.10M; BE END; STD WT; LTS ASTM A333 GR 6	NB 300	STD	323.8	9.53	5	48.570
PIPE; SMLS;DN 300; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 300	STD	323.8	9.53	1	10.550
PIPE; SMLS;DN 300; ASME B36.10M; BE END; SCH 40; CS ASTM A106 GR B	NB 300	40	323.8	10.31	8	83.500
PIPE; SMLS;DN 300; ASME B36.10M; BE END; SCH 140; LTS ASTM A333 GR 6	NB 300	140	323.8	28.58	1	8.700
PIPE; SMLS;DN 350; ASME B36.10M; BE END; SCH 20; LTS ASTM A333 GR 6	NB 350	20	355.6	7.92	1	11.700
PIPE; SMLS;DN 350; ASME B36.10M; BE END; SCH 20; CS ASTM A106 GR B	NB 350	20	355.6	7.92	5	58.110
PIPE; SMLS;DN 350; ASME B36.10M; BE END; SCH 20; CS ASTM A106 GR B	NB 350	20	355.6	7.92	9	94.840
PIPE; SMLS;DN 350; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 350	STD	355.6	9.53	5	48.430
PIPE; SMLS;DN 350; ASME B36.10M; BE END; SCH 40; CS ASTM A106 GR B	NB 350	40	355.6	11.13	1	11.100
PIPE; SMLS;DN 350; ASME B36.10M; BE END; SCH 40; CS ASTM A106 GR B	NB 350	40	355.6	11.13	1	11.420
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 20; LTS ASTM A333 GR 6	NB 400	20	406.4	7.9	1	10.960
PIPE; SMLS;DN 400; ASME B36.10M; BE END; STD WT; CS ASTM A106 GR B	NB 400	STD	406.4	9.53	1	11.770
PIPE; SMLS;DN 400; ASME B36.10M; BE END; XS; CS ASTM A106 GR B	NB 400	XS	406.4	12.7	1	11.400
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 40; LTS ASTM A333 GR 6	NB 400	40	406.4	12.7	1	7.700
PIPE; SMLS;DN 400; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 400	XS	406.4	12.7	1	11.480
PIPE; SMLS;DN 400; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 400	XS	406.4	12.7	1	10.740
PIPE; SMLS;DN 400; ASME B36.10M; BE END; XS; LTS ASTM A333 GR 6	NB 400	XS	406.4	12.7	1	10.260
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 80; CS ASTM A106 GR B	NB 400	80	406.4	21.44	3	28.740
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 120; LTS ASTM A333 GR 6	NB 400	120	406.4	30.96	26	201.000



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 140; LTS ASTM A333 GR 6	NB 400	140	406.4	36.53	1	9.700
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 140; LTS ASTM A333 GR 6	NB 400	140	406.4	36.53	1	6.680
PIPE; SMLS;DN 400; ASME B36.10M; BE END; SCH 140; LTS ASTM A333 GR 6	NB 400	140	406.4	36.53	1	7.330
PIPE SMLS 20" SCH 30 X 11.46M ASTM A106 GR B; HT # 900492	NB 500	30	508	9.5	1	11.460
PIPE SMLS DN500 SCH STD X 11.61M-11.74M ASTM A106 GR B; HT # 904783	NB 500	STD	508	9.5	1	11.740
PIPE SMLS DN500 SCH STD X 11.61M-11.74M ASTM A106 GR B	NB 500	STD	508	9.5	1	8.530
PIPE SMLS DN500 X 20.62MM WT X 11.42M ASTM A106 GR B; HT # 988075	NB 500	60	508	20.62	1	11.420
PIPE SMLS DN500 X 38MM WT X 7.23M-7.14M ASTM A106 GR B; HT # 988499; 988500	NB 500	120	508	38	1	7.230
PIPE SMLS DN500 X 38MM WT X 7.23M-7.14M ASTM A106 GR B; HT # 988499; 988500	NB 500	120	508	38	1	7.190
PIPE SMLS 24" SCH 20 X 10.27M ASTM A106 GR B	NB 600	20	609.6	9.5	1	10.270
PIPE SMLS 24" SCH 40 X 10.40 - 8.45M ASTM A106 GR B	NB 600	40	609.6	17	1	10.720
PIPE SMLS 24" SCH 40 X 11.38M ASTM A106 GR B	NB 600	40	609.6	17	1	11.380
PIPE SMLS 24" SCH 80 X 10.40M ASTM A106 GR B	NB 600	80	609.6	31	1	11.460